

For patients and
their care partners

YOUR GUIDE TO LEQEMBI[®] INFUSIONS

Learn what to expect before,
during, and after treatment



NINA

REAL LEQEMBI PATIENT, AND HER FAMILY

People shown were compensated for their time, and information is accurate as of August 2025.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about LEQEMBI?

LEQEMBI can cause serious side effects, including: ARIA (Amyloid-Related Imaging Abnormalities). ARIA is a side effect that does not usually cause any symptoms, but serious symptoms can occur. ARIA can be fatal. ARIA commonly shows up as temporary swelling in areas of the brain that usually goes away over time. Small spots of bleeding in or on the surface of the brain can occur. Less often, larger areas of bleeding in the brain can occur.

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including Boxed WARNING.



LEARN ABOUT THE INFUSION PROCESS

Now that you and your healthcare provider have decided LEQEMBI is right for you, it's important to understand the infusion process. **This guide helps answer these questions:**

PAGE 4	WHAT SHOULD I KNOW BEFORE STARTING LEQEMBI?
PAGE 6	HOW CAN I PREPARE FOR AN INFUSION?
PAGE 8	WHAT CAN I EXPECT DURING AN INFUSION?
PAGE 10	HOW CAN I STAY ON TRACK AND MONITOR MY PROGRESS?
PAGE 12	WHAT TOPICS CAN I DISCUSS WITH MY CARE TEAM?
PAGE 14	WHAT SUPPORT IS AVAILABLE FOR LEQEMBI?

WHAT IS LEQEMBI?

LEQEMBI is a prescription medicine used to treat people with early Alzheimer's disease, which includes mild cognitive impairment (MCI) or mild dementia stage of disease.

IMPORTANT SAFETY INFORMATION (CONTINUED)

What is the most important information I should know about LEQEMBI?

Most people with ARIA don't have any symptoms. However, some people may notice: headache, confusion that gets worse, dizziness, vision changes, nausea, difficulty walking, seizures, difficulty speaking, or muscle weakness.

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including Boxed WARNING.



Support comes in many forms

Your care team is your best resource for treatment questions, but remember that you can turn to loved ones for a helping hand too.

People shown were compensated for their time, and information is accurate as of August 2025.

NINA Real LEQEMBI patient

IMPORTANT SAFETY INFORMATION (CONTINUED)

What is the most important information I should know about LEQEMBI?

- Some people have a gene called ApoE4 that may increase the risk of ARIA. Talk to your healthcare provider about testing to see if you have this gene
- You may be at a higher risk of developing bleeding in the brain if you take medicines to reduce blood clots from forming (antithrombotic medicines) while receiving LEQEMBI. Talk to your healthcare provider to see if any of the medicines you're taking increase this risk
- Your healthcare provider will check for ARIA with MRI (magnetic resonance imaging) scans before you start LEQEMBI and during treatment

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including Boxed WARNING.

 **LEQEMBI**[®]
(lecanemab-irmb)



BOB Real LEQEMBI patient

People shown were compensated for their time, and information is accurate as of August 2025.

WHAT SHOULD I KNOW BEFORE STARTING LEQEMBI?

Understanding the infusion process can help you feel prepared for what's ahead.



LEQEMBI is an intravenous (IV) infusion. This means a needle is placed in a vein in your arm to give the medicine.



Each infusion takes about **1 hour**.



Infusions will be given at a **healthcare provider's office** or at an **infusion center**. Talk to your healthcare provider and insurance provider about where to get your infusions.



Initially, infusions are given twice monthly (once every 2 weeks). If you miss an infusion of LEQEMBI, you should receive your next dose as soon as possible.



After 18 months of infusions, you may have the option of starting maintenance treatment. You and your healthcare provider will determine if you can switch to less-frequent, once-monthly (once every 4 weeks) infusions or once-weekly (once every 7 days) at-home injections with LEQEMBI IQLIK™. LEQEMBI IQLIK is an injection given under the skin (a subcutaneous injection) by you or a care partner.

IMPORTANT SAFETY INFORMATION (CONTINUED)

What is the most important information I should know about LEQEMBI?

- You should carry information that says you are receiving LEQEMBI, which can cause ARIA, and that ARIA symptoms can look like stroke symptoms

Call your healthcare provider or go to the nearest hospital emergency room right away if you have any of the symptoms listed on the front cover and page 2.

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including **Boxed WARNING**.



Potential side effects

When starting a new treatment, it's okay to have questions about potential side effects. Here are a few you may hear about during your infusion appointments.

ARIA

One side effect is ARIA (amyloid-related imaging abnormalities). Your healthcare provider will check for ARIA with MRI (magnetic resonance imaging) scans before you start LEQEMBI and about **1 week before** your 3rd, 5th, 7th, and 14th infusions. Your exact MRI schedule will be determined by your healthcare provider and may include additional MRIs.

Serious allergic reactions

Swelling of the face, lips, mouth, or tongue, itchy bumps on the skin, also known as hives, or difficulty breathing have happened during treatment with LEQEMBI.

Infusion-related reactions are a possible side effect of LEQEMBI

These include fever, flu-like symptoms (chills, body aches, feeling shaky, and joint pain), nausea and/or vomiting, dizziness or lightheadedness, fast or slow heart rate, or feeling like your chest is pounding, difficulty breathing or shortness of breath, and changes in your blood pressure.

Injection-related reactions are a possible side effect of LEQEMBI IQLIK

Redness, swelling, heat, pain, itching, rash, bruising, and blood collection under the skin at the injection site may be observed. Headache, fatigue, or fever may also be observed after an injection.

Tell your healthcare provider or infusion care team right away if you experience any of these symptoms. They can tell you what to do and if medicine may help.

IMPORTANT SAFETY INFORMATION (CONTINUED)

Serious allergic reactions:

Do not receive LEQEMBI if you have serious allergic reactions to LEQEMBI, LEQEMBI IQLIK, or any of the ingredients.

- Tell your healthcare provider if you notice any symptoms during or after a LEQEMBI infusion, including:
 - swelling of the face, lips, mouth, or tongue; itchy bumps on the skin, also known as hives; difficulty breathing

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including Boxed WARNING.



HOW CAN I PREPARE FOR AN INFUSION?

Here are some practical things you can do to get ready for your LEQEMBI infusion:



Keep your phone close by. You'll likely get a call from your infusion center before your appointment to gather some extra information. That's a good time to ask about anything you need to bring, such as paperwork and medication lists.



Wear short sleeves or a shirt that can be rolled up so it's easier to get your infusion, but bring a blanket in case you get chilly.



Take along something to play, read, or watch to help make your appointment more enjoyable, and pack your headphones or earbuds along with your device chargers.



Bring a few snacks and a bottle of water and drink plenty beforehand so you're hydrated.



Take a look at the [LEQEMBI Medication Guide](#) and bring any questions to your care team.

IMPORTANT SAFETY INFORMATION (CONTINUED)

Infusion-related reactions:

- Infusion-related reactions can occur during or after completion with LEQEMBI injection into a vein (intravenously), which can be serious. Tell your healthcare provider right away if you notice any of these symptoms:
 - fever
 - flu-like symptoms (chills, body aches, feeling shaky, joint pain)
 - nausea and/or vomiting

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including **Boxed WARNING.**





It can be nice to have a family member with you, so ask your infusion center if that's allowed.



NINA Real LEQEMBI patient

People shown were compensated for their time, and information is accurate as of August 2025.

IMPORTANT SAFETY INFORMATION (CONTINUED)

- dizziness or lightheadedness
 - fast or slow heart rate, or feeling like your chest is pounding
 - difficulty breathing or shortness of breath
 - changes in blood pressure
- If you have an infusion-related reaction, your healthcare provider may give you medicines before your next infusion to lower the chance of having a reaction

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including Boxed WARNING.



WHAT CAN I EXPECT DURING AN INFUSION?

If you're not used to infusions, it's important to know what to expect. The exact process may vary, but a LEQEMBI infusion often includes these steps:

- STEP 1** A member of the infusion care team will **check your vital signs**, like your temperature and blood pressure. You may also get weighed and have blood drawn.
- STEP 2** Your care team will prepare your medicine, set up your IV line, and **start your infusion**. As you receive your medicine, pay attention to how you feel and keep them informed of any concerns.
- STEP 3** After your infusion is finished, your care team will **remove the IV**. Then they'll tell you when you can leave and how to **schedule your next infusion**.

If you have an infusion-related reaction, your healthcare provider may:

- Adjust the flow or stop the infusion
- Give you medicines before your future LEQEMBI infusions to decrease your chance of having an infusion-related reaction. These medicines may include antihistamines, anti-inflammatory medicines, or steroids

IMPORTANT SAFETY INFORMATION (CONTINUED)

Injection-related reactions:

- Injection-related reactions may occur with LEQEMBI injection under the skin (subcutaneous injection with LEQEMBI IQLIK). Tell your healthcare provider if you notice any of these symptoms during or after an injection:
 - redness, swelling, heat, pain, itching, rash, bruising, and blood collection under the skin at the injection site
 - headache, fatigue, or fever may also be observed after an injection

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including Boxed WARNING.





For care partners

To help make each appointment a little more enjoyable, consider games or other activities you and your loved one can do together. For more tips and information, visit LEQEMBI.com/CarePartners

People shown were compensated for their time, and information is accurate as of August 2025.

NINA Real LEQEMBI patient,
and her husband, Greg

IMPORTANT SAFETY INFORMATION (CONTINUED)

The most common side effects of LEQEMBI include infusion-related reactions, ARIA, and headaches.

These are not all the possible side effects of LEQEMBI. Call your doctor for more information and medical advice about side effects. You may report side effects to the FDA at www.fda.gov/medwatch or call 1-800-FDA-1088.

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including Boxed WARNING.





BOB Real LEQEMBI patient,
and his dog, Pooch

People shown were compensated for their time,
and information is accurate as of August 2025.

HOW CAN I STAY ON TRACK AND MONITOR MY PROGRESS?

In people with Alzheimer's disease, amyloid brain plaque continuously builds up. LEQEMBI keeps working throughout treatment to remove harmful amyloid brain plaque. **That's why it's important to stick with your treatment plan.**



Even though you cannot feel LEQEMBI working day to day, staying on track helps treat Alzheimer's disease.



Your healthcare provider will monitor you for side effects throughout treatment and may adjust your dose or stop treatment if necessary.



Ongoing treatment helps keep LEQEMBI working in your body. People who continue treatment beyond 18 months may be able to keep the benefits of LEQEMBI for longer.

IMPORTANT SAFETY INFORMATION (CONTINUED)

Before receiving LEQEMBI, tell your healthcare provider about:

- **All your medical conditions**, including if you are pregnant, breastfeeding, or plan to become pregnant or breastfeed. It is not known if LEQEMBI could harm your unborn or breastfeeding baby
- **All the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Especially tell your healthcare provider if you take medicines to reduce blood clots from forming (antithrombotic medicines, including aspirin)

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including **Boxed WARNING**.



Practical tips for staying on track

It's important to try to follow each part of your treatment plan. That includes sticking to your infusion schedule. Here are a few tips that may help:



Schedule upcoming infusions well in advance

and be sure to add the appointments to your calendar.



Keep track of how you're feeling between infusions and let your healthcare provider know if anything comes up.



Reach out to your healthcare provider if you miss an appointment.

They can help you get back on track.



Plan ahead for any additional tests, such as your follow-up MRIs about 1 week before your 3rd, 5th, 7th, and 14th infusions. Your exact MRI schedule will be determined by your healthcare provider and may include additional MRIs.

IMPORTANT SAFETY INFORMATION (CONTINUED)

LEQEMBI (lecanemab-irmb) is available as:

- Intravenous infusion: 100 mg/mL
- Subcutaneous injection: 200 mg/mL

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including **Boxed WARNING.**



WHAT TOPICS CAN I DISCUSS WITH MY CARE TEAM?

Don't hesitate to ask questions or share any concerns. Not sure where to begin?

These topics can help you get started:



Learning if I'm eligible for LEQEMBI

"What are the tests and paperwork that need to be completed before I can start treatment?"



Keeping up with my infusions

"What should I do if I miss my infusion?"



Scheduling my infusions

"How do my infusions get scheduled and where will I get them?"



Looking out for any side effects

"How will I be monitored for side effects, such as ARIA? What should I look out for?"



Getting ready for my first infusion

"Do you have any additional tips or advice to help me prepare?"

IMPORTANT SAFETY INFORMATION (CONTINUED)

What is the most important information I should know about LEQEMBI?

LEQEMBI can cause serious side effects, including: ARIA (Amyloid-Related Imaging Abnormalities). ARIA is a side effect that does not usually cause any symptoms, but serious symptoms can occur. ARIA can be fatal.

- ARIA commonly shows up as temporary swelling in areas of the brain that usually goes away over time
- Small spots of bleeding in or on the surface of the brain can occur

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including Boxed WARNING.





Planning for my follow-up MRIs

“What do I need to know about my follow-up MRIs? When will I get them and why are they needed?”



Understanding how my infusion schedule might change

“When might I start maintenance treatment with once-monthly infusions (once every 4 weeks) or once-weekly, at-home injections (once every 7 days)?”

People shown were compensated for their time, and information is accurate as of August 2025.



NINA Real LEQEMBI patient,
and her husband, Greg

IMPORTANT SAFETY INFORMATION (CONTINUED)

- Less often, larger areas of bleeding in the brain can occur
- Most people with ARIA don't have any symptoms. However, some people may notice:
 - headache
 - dizziness
 - nausea
 - seizures
 - muscle weakness
 - confusion that gets worse
 - vision changes
 - difficulty walking
 - difficulty speaking

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including **Boxed WARNING**.



WHAT SUPPORT IS AVAILABLE FOR LEQEMBI?



No matter where you or your loved one is in treatment,
**the LEQEMBI Companion™ program
is by your side**



As a part of the LEQEMBI Companion program, **Eisai Patient Support (EPS)** offers information and resources for accessing LEQEMBI for eligible patients.



Once you're enrolled in the LEQEMBI Companion program, you'll be connected with a dedicated Patient Navigator who can help you understand **insurance coverage**, identify **financial support**, find **infusion centers**, and know **what to expect** at each step.

Ready to get started? Talk to your healthcare provider about enrolling in the LEQEMBI Companion program today. If you're already enrolled and have questions, call **1-833-453-7362** (1-833-4-LEQEMBI). For more information about the LEQEMBI Companion program, visit LEQEMBI.com/PatientSupport.

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including **Boxed WARNING**.



Make the LEQEMBI Companion™ app your treatment companion

Your digital partner designed to help support you at every step of your treatment, at no cost to you. Developed with Medisafe's Medication Management app.

- Get helpful information on **what to expect** and **how to prepare for your infusions**
- **Set customized reminders** for your infusions and any appointments
- **Get tips** and **watch real LEQEMBI patient stories**

How to get started



- 1 Scan or tap the QR code, then tap the **pop-up banner**
- 2 Tap **"Get"** or **"Install"** to download Medisafe
- 3 Follow the prompts and tap **"Get Started"**
- 4 If prompted, enter the **verification code RW8Q**

This will direct you to the Medisafe app. From there, you will select LEQEMBI as your treatment.

Visit LEQEMBI.com/CompanionAppSignUp to learn more about all the app has to offer.




Actor portrayal.

You do not need to be enrolled in the LEQEMBI Companion program to download and use the app.

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including Boxed WARNING.





Get your treatment wallet card

The wallet card informs healthcare providers or emergency workers that you or your loved one is taking an anti-amyloid treatment. It provides important information they need to know.

There are 2 ways to get the wallet card:

1. You can print your card by visiting LEQEMBI.com/wallet.
2. Scan the QR code with your smartphone, or tap it, to add the card directly to your phone. It will appear in your digital wallet, the same app that holds tickets and credit cards.



Scan or tap the QR code to add the card to your digital wallet

Please see Important Safety Information throughout. Click underlined links for [Medication Guide with Instructions for Use](#) and [full Prescribing Information](#), including Boxed WARNING.



© 2025 Eisai Inc. and Biogen.
LEQE-US4776 November 2025
All trademarks are the property of their respective owners.
LEQEMBI® is a registered trademark of Eisai R&D Management Co., Ltd.
LEQEMBI Companion™ and LEQEMBI IQIK™ are trademarks of Eisai R&D Management Co., Ltd.